

FNCE

FENCING SIMPLIFIED.

**Discover new and innovative
fencing products available
exclusively from FNCE.**

With our patented designs, we are bringing a carefully curated selection of bespoke fencing and balustrades to the residential and commercial industry. We pride ourselves on adopting a comprehensive approach to quality by only focusing on this curated selection and excelling at it. Our architecturally inspired fencing and balustrades are a truly unique product in a class of their own.



What makes FNCE different



POOL SAFETY AND
BALUSTRADES
DURABILITY SURPASSES
AUSTRALIAN STANDARDS



FNCE'S UNIQUE
POSTLESS & MODULAR
FENCING SYSTEM
NO ASSEMBLY OF PARTS
REQUIRED



ENGINEERED AND
CERTIFIED OPTIONS
FOR FENCING
OR BALUSTRADE
APPLICATIONS



CUSTOMISABLE TO SUIT
LARGE SCALE PROJECT
ORDERS



10 YEAR WARRANTY ON
ALL PRODUCTS



LOCAL QLD BUSINESS
GROWING TO OFFER A
NATIONAL DISTRIBUTION
NETWORK.




SQUARE CORNER
PANELS



LINEAR PROFILE



CURVED CORNER
PANELS



MODULAR SYSTEM




POSTLESS
SYSTEM


MULTIPLE
FIXING OPTIONS

THE FNCE COLLECTION

SLIMLINE



BARRIER



CORNER ASSEMBLIES



FNCE TUBE



In Development
and Coming Soon

Visit
www.fnce.com.au
to request product
drawings





SLIMLINE

PRODUCT DETAILS


- 50mm x 12mm Profile
- Minimum 0.35Kn Load rating
- Standardised panel sizes
- 3 installation options
- Panel weights:
 - Standard: 5 - 23Kg
 - Slab Edge: 15 - 30Kg
- Comes in 2 standard colours
- Solid perimeter frame with hollow balusters
- 87mm baluster spacing

FEATURES

- All Slimline Standard products are stocked and ready to install
- Tested & Certified to Swimming Pool Safety Standards
- Slab Edge Tested & Certified for Balustrade applications
- Superior safety performance 4 times greater than the standard
- 15, 30, 60 & 100 degree spacer panels available


STANDARD PANEL - BASE PLATE FOOTING

1285mm H X 309mm, 507mm, 1002mm, 1497mm, 1992mm W




STANDARD PANEL - CORE HOLE FOOTING

1285mm H X 309mm, 507mm, 1002mm, 1497mm, 1992mm W



SLAB EDGE PANEL

1230mm H X 309mm, 507mm, 1002mm, 1497mm, 1992mm W





BARRIER

PRODUCT DETAILS


- 65mm x 12mm Profile
- Minimum 0.75Kn Load rating
- Maximum panel size 1497mm W X 1350mm H
- 3 installation options
- Panel weights:
 - Standard & Full: 23Kg
 - Slab Edge: 30Kg
- Comes in 2 standard colours
- Solid perimeter frame with hollow balusters
- 87mm baluster spacing
- Core Hole Footing option available pending application

FEATURES

- All Barrier products - Made to Order
- Customisable within the maximum panel sizes
- Engineered and certified product within the maximum panel size
- Tested and certified for Balustrade applications
- Tested & Certified to Swimming Pool Safety Standards
- Superior safety performance up to 6 times greater than the standard
- 15, 30, 60 & 100 degree spacer panels available


STANDARD PANEL

1030mm min/1350mm H max X 1497mm W max




SLAB EDGE PANEL

1030mm min/1350mm H max X 1497mm W max



FULL PANEL

1030mm min/1350mm H max X 1497mm W max




TECHNICAL SPECIFICATIONS

FNCE products are available in 2 standard colours from the Equivalent Interpon Commercial Grade D2525


Custom colours can be ordered on request -
Made to Order.

All FNCE products are fully welded providing a superior product which exceeds the Australian Standard loading requirements for their approved application.


TOP RAIL
4 welds




BALUSTERS
4 welds



BOTTOM RAIL
4 welds



BASE PLATE
4 welds



- Structural Alloy Grade 6061 - T6
- Solid perimeter frame with full 5mm fillet welds
- Hollow extruded balusters with full laser & plug welds
- 304 Grade Stainless Steel countersunk sleeve bolts supplied with every order



WARRANTY & COMPLIANCE

All FNCE products undergo comprehensive Quality Assurance during and after manufacture. This attention to detail ensures that all FNCE products are fabricated to achieve the highest possible safety factor.

You get the benefit of a prefabricated, pre-engineered and certified product. Eliminating the need for further design and testing certification.

- 10 year warranty on Aluminium, Fabrication and Paint Finish
- Designed in accordance with
 - AS 1926.1 / 1926.2 - 2012
 - AS/NZS 1170, 1170.1 - 2002 & 1170.2 - 2021
 - AS/NZS 1664.1 - 1997
 - NCC 2022. Volumes 2 and 3
 - AS1720
 - AS3600
- Testing & certification to AS 1926.1 - 2012 Swimming Pool Safety Standards Set
- Testing & certification to AS/NZS 1170 & 1170.1 - 2002



Flexible finishes tolerances which maintain pool fencing height compliance.

FNCE System	Certified Testing & Compliance Pool Safety - AS 1926.1	Certified Testing & Compliance Balustrade AS/NZS 1170	Building - Type of Uses							
			A	B	C1	C2	C3	C5	D	E
SLIMLINE STANDARD	✓		✓	✓						✓
SLIMLINE SLAB EDGE	✓	✓	✓	✓	✓	✓	✓		✓	✓
SLIMLINE GATE	✓			✓	✓					✓
BARRIER STANDARD	✓	✓	✓	✓	✓	✓	✓			✓
BARRIER SLAB EDGE	✓	✓	✓	✓	✓	✓	✓		✓	✓

Specify A FNCE Into Your Next Design



The hard work is done. All FNCE products come with full design and testing certification. With our pre certified products, you can rest assured knowing that a FNCE can be easily specified into your next project.

The design content has been developed to make your job easier. The FNCE Revit Library is available on request.

The FNCE Library

- 2D / 3D DWG, 2D PDF
- Revit Models
- Product Renders
- Structural Engineering design certificate
- Swimming Pool Safety Standards Set Testing Certificates
- Balustrade Testing Certificates

We are excited to bring our Revit / Virtual showroom to you soon.

FNCE

SIMPLE | BESPOKE | TIMELESS

GET IN TOUCH



✉ tom@fnce.com.au

📞 0418 850 942

🌐 www.fnce.com.au